




<b>THE NRCA ROOFING MANUAL</b> CONSTRUCTION DETAIL EE-5	<b>EMBEDDED EDGE (L-TYPE)</b> <ul style="list-style-type: none"> <li>• 24 GA. STEEL</li> <li>• 22 GA. STEEL CLEAT</li> <li>• CONTINUOUS FRONT FACE CLEAT</li> </ul>	ANSI/SPRI ES-1 TESTED RESISTANCE	<b>UL-30</b>  10/30/15
		210 LBS./SQ. FT.	



<b>THE NRCA ROOFING MANUAL</b> CONSTRUCTION DETAIL EE-5	<b>EMBEDDED EDGE (L-TYPE)</b> <ul style="list-style-type: none"> <li>• 0.040" ALUMINUM</li> <li>• 0.050" ALUMINUM CLEAT</li> <li>• CONTINUOUS FRONT FACE CLEAT</li> </ul>	<b>ANSI/SPRI ES-1 TESTED RESISTANCE</b>	<b>UL-31</b>  2/6/17
		230 LBS./SQ. FT.	




**FABRICATION**




**INSTALLATION**


<b>THE NRCA ROOFING MANUAL</b> CONSTRUCTION DETAIL EE-5	<b>EMBEDDED EDGE (L-TYPE)</b> <ul style="list-style-type: none"> <li>• 24 GA. STEEL</li> <li>• 20 GA. STEEL CLEAT</li> <li>• CONTINUOUS FRONT FACE CLEAT</li> </ul>	<b>ANSI/SPRI ES-1 TESTED RESISTANCE</b>	<b>UL-32</b>  10/30/15
		125 LBS./SQ. FT.	



<b>THE NRCA ROOFING MANUAL</b> CONSTRUCTION DETAIL EE-5	<b>EMBEDDED EDGE (L-TYPE)</b> <ul style="list-style-type: none"> <li>• 0.050" ALUMINUM</li> <li>• 0.063" ALUMINUM CLEAT</li> <li>• CONTINUOUS FRONT FACE CLEAT</li> </ul>	<b>ANSI/SPRI ES-1 TESTED RESISTANCE</b>	<b>UL-33</b>  2/6/17
		190 LBS./SQ. FT.	



**FABRICATION**



**INSTALLATION**